

臨床病理 Vol. 55 No. 5 2007

八木 宏氏の急逝を悼む	403
役員選挙のお知らせ	405
理事長選挙候補者の立候補(推薦)のお願い	406

■原著

Kinetic Analysis of Bile Acids in the Feces of Colorectal Cancer Patients by Gas Chromatography-Mass Spectrometry (GC-MS)	<i>Tomoaki TADANO</i> . . . 417
Discrimination of Thyroglobulin from Thyroid Carcinoma Tissue and that from Benign Thyroid Tissues with Use of Competitive Assay between Lectin and Anti-Thyroglobulin Antibody	<i>Kayoko SHIMIZU</i> . . . 428

■第53回学術集会

シンポジウム：生活習慣病と臨床検査

メタボリックシンドロームと small dense LDL	平野 勉 . . . 434
メタボリックシンドロームにおける トリグリセリド-rich リポ蛋白の臨床的意義	多田 紀夫 . . . 439
PPAR γ とメタボリックシンドローム	寺内 康夫 . . . 447
生活習慣病・メタボリックシンドロームと高血圧	竹内 和久 . . . 452

シンポジウム：在宅医療を支える簡易臨床検査機器の展望

在宅医療の検査はどこへ向かうのか—司会の言葉—	谷 直人 . . . 457
生化学分析装置(i-STAT)の現状と展望	岸 雄一郎 . . . 460
海外における血液凝固自己モニタリングの現状と 本邦在宅医療における将来展望	岡 尚人 . . . 465

ワークショップ：役立つ検査データを得るためのサンプリング—測定前の諸問題—

測定前の諸問題—総論 —測定前問題の解消なしには正しいデータは得られない—	吉田 浩 . . . 470
臨床化学分野から見た我が国の preanalytic phase error 研究の発足と進展と今後	富田 明夫 . . . 473
サンプリングにおける患者側の変動要因 —出血時間と SMBG の部位間差について—	吉田 浩 . . . 479

■日本臨床検査医学会ニュース

日本臨床検査医学会だより	483
--------------	-----

Rinsho Byori Vol. 55 No. 5 2007

■Original

- Kinetic Analysis of Bile Acids in the Feces of Colorectal Cancer Patients by
Gas Chromatography-Mass Spectrometry (GC-MS) *Tomoaki TADANO* . . . 417
- Discrimination of Thyroglobulin from Thyroid Carcinoma Tissue and that from
Benign Thyroid Tissues with Use of Competitive Assay
between Lectin and Anti-Thyroglobulin Antibody..... *Kayoko SHIMIZU* . . . 428

■The 53rd National Congress

- Symposium : Lifestyle-related diseases and clinical laboratory tests
- Metabolic Syndrome and Small Dense LDL-Cholesterol..... *Tsutomu HIRANO* . . . 434
- Clinical Significance of Triglyceride-Rich Lipoproteins in Metabolic Syndrome *Norio TADA* . . . 439
- PPAR γ and Metabolic Syndrome..... *Yasuo TERAUCHI* . . . 447
- Hypertension and Metabolic Syndrome/Lifestyle Diseases *Kazuhisa TAKEUCHI* . . . 452
- Symposium : Perspectives on Simple Clinical Testing Equipment for Home Medical Care
- Outlook on Testing in Home Care: Moderator's Perspectives
— Chairman's Introductory Remarks — *Naoto SHIMETANI* . . . 457
- The Current Situation of i-STAT (Portable Clinical Analyzer) and
Its Future View *Yuichiro KISHI* . . . 460
- Self Monitoring of Coagulation as Practiced Abroad and
the Opportunity for Home Care in Japan *Hisato OKA* . . . 465
- Workshop : Sampling to obtain helpful test data – Issues prior to measurement
- Preanalytical Variables – General
— No Exact Data without Improvement of Preanalytical Problems — *Hiroshi YOSHIDA* . . . 470
- Studies on Preanalytical Phase Errors in Clinical Chemistry
in the Japanese Clinical Laboratory – Now and the Future – *Akio TOMITA* . . . 473
- Sampling Variables in Examinees – Skin Site Differences in the Measurements of
Bleeding Time and Self-Monitoring of Blood Glucose..... *Hiroshi YOSHIDA* . . . 479

■News

- JSLM NEWS..... 483
- JAMS NEWS..... 499